3224 McCraney Loop Sanford, FL 32771 Ph: (407) 478-3759

Fax: (407) 478-3760 www.ilp-inc.com

# GH24 Wire Cage Kit Installation Instructions

Before beginning the installation process, please verify that each kit contains the following components:

1x Pre-Assembled Lens Frame with Wire Cage 6x White Rivets

### Step 1:

Prepare the lens frame for installation by setting hinges at a 90-degree angle, so they form an L.




Figure 1: Set hinges at angle to improve ease of installation

### Step 2:

Align the holes in the hinges with the holes on the body of the fixture.





3224 McCraney Loop Sanford, FL 32771 Ph: (407) 478-3759

Fax: (407) 478-3760 www.ilp-inc.com




Figure 2: Align holes in hinges with holes in fixture

## Step 3:

Beginning with the center hinge, rivet the hinges onto the body of the fixture. Rivets should be installed from the inside of the fixture.




Figure 3: Install two rivets per hinge



3224 McCraney Loop Sanford, FL 32771 Ph: (407) 478-3759

Fax: (407) 478-3760 www.ilp-inc.com

### Step 3:

Once all rivets have been installed, swing lens frame up into fixture.




Figure 4: Swing frame up into fixture

#### Step 3:

Pull latches toward the center of the fixture to allow lens frame to fully close into fixture. Release latches and ensure they catch in slots on end panels.




Figure 5: Activate latches to lock frame in place